

PRODUCT INFORMATION PACKET



Model No: CPE25

Catalog No: CPE25

3 HP Close-Coupled Pump Motor, 3 phase, 3600 RPM, 208-230/460 V, 182JP Frame, TEFC
JP Motors



Regal and Century are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E

The REGAL logo consists of the word 'REGAL' in a bold, white, sans-serif font, set against a dark grey, trapezoidal background. This logo is positioned on a blue, vertically-oriented decorative bar that has a halftone dot pattern and a white diagonal line on its left edge.

REGAL



Nameplate Specifications

Output HP	3 Hp	Output KW	2.2 kW
Frequency	60 Hz	Voltage	208-230/460 V
Current	8.4-7.6/3.8 A	Speed	3475 rpm
Service Factor	1.15	Phase	3
Duty	Continuous	Insulation Class	F
Frame	182JP	Enclosure	Totally Enclosed Fan Cooled
Thermal Protection	None	Ambient Temperature	40 °C
UL	Recognized	CSA	Y
CE	Y		

Technical Specifications

Electrical Type	POLYPHASE	Starting Method	Across The Line
Poles	2	Rotation	Reversible
Mounting	Rigid Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Cast Iron
Shaft Type	Keyed	Overall Length	18.95 in
Frame Length	5.74 in	Shaft Diameter	1.249 in
Shaft Extension	5.92 in		

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:30/10/2019

