PRODUCT INFORMATION PACKET



Model No: CPO31 Catalog No: CPO31 5 HP Close-Coupled Pump Motor, 3 phase, 1800 RPM, 208-230/460 V, 184JP Frame, ODP JP Motors





Regal and Century are trademarks of Regal Beloit Corporation or one of its affiliated companies. ©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E

Product Information Packet: Model No: CPO31, Catalog No:CPO31 5 HP Close-Coupled Pump Motor, 3 phase, 1800 RPM, 208-230/460 V, 184JP Frame, ODP



Nameplate Specifications

Output HP	5 Hp	Output KW	3.7 kW
Frequency	60 Hz	Voltage	208-230/460 V
Current	14.2-12.8/6.4 A	Speed	1750 rpm
Service Factor	1.15	Phase	3
Duty	Continuous	Insulation Class	F
Frame	184JP	Enclosure	Open Drip Proof
Thermal Protection	None	Ambient Temperature	40 °C
UL	Recognized	CSA	Y
CE	Υ		


Technical Specifications

Electrical Type	POLYPHASE	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Mounting	Rigid Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Keyed	Overall Length	20.46 in
Frame Length	7.75 in	Shaft Diameter	1.249 in
Shaft Extension	7.35 in		

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 30/10/2019

Dealers Industrial Equipment -- Visit https://DealersElectric.com or call (908) 688-1966 for all of your electric motor &2/67D4 needs!

SS620570



Uncontrolled Copy

