## PRODUCT INFORMATION PACKET



Model No: H267ES
Catalog No: H267ES

1/3 HP General Purpose Motor, 3 phase, 1200 RPM, 230/460 V, 56 Frame, ODP

Three Phase ODP Motors





Regal and Century are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2019 Regal Beloit Corporation, All Rights Reserved. MC017097E



## Nameplate Specifications


Output HP	1/3 Hp	Output KW	0.25 kW	
Frequency	60 Hz	Voltage	230/460 V	
Current	1.4/.7 A	Speed	1140 rpm	
Service Factor	1.35	Phase	3	
Duty	Continuous	Insulation Class	В	
Frame	56	Enclosure	Drip Proof	
Thermal Protection	None	Ambient Temperature	40 °C	
UL	Recognized	CSA	Υ	
CE	Υ			


## **Technical Specifications**

Electrical Type	Three Phase	Starting Method	Across The Line
Poles	6	Rotation	Reversible
Mounting	Rigid base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Keyed	Overall Length	11.94 in
Frame Length	8.13 in	Shaft Diameter	0.625 in
Shaft Extension	1.97 in		

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:30/10/2019

## **Uncontrolled Copy**





TO REVERSE ROTATION, INTERCHANGE ANY TWO LINE LEADS

PLATE: 41365

SLOT: 22

				TOL UNLES	ERANCES S SPECIFIED	ICES ECIFIED S S				OM 08-14	1-1989
				DEC.	INCHES			-	CHK N	ML 08-14	-1989
				.x	±.1				APPD (	GK 08-14-	-1989
4	ADDED REVERSAL NOTE	SVL 10-14-2013		.xx	±.02	TITLE CONNECTION DIGRAM			SCALE	1=1	
3	REDRAWN IN AUTOCAD	TAT 09-16-2004	ML	.xxx	±.005				REF		
2	REDRAWN — NEW FORMAT TOM 08-14-			.xxxx	±.0005	MAT'L.			FMF		
NO.	REVISION	BY & DATE	СНК	ANG	±7'30"	FINISH			PREV		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT			RFP			CAD FILE 103014	SIZE	DRAWING NO		OF	REV.
			DIST	WP			Α	1	03014		4