

# PRODUCT INFORMATION PACKET



Model No: C42C17FB1C

Catalog No: 092116.00

1/6HP..1725RPM.42.TEFC.115/208-230V.1PH.60HZ.CONT.NOT.40C.1.15SF.RIGID.GENERAL  
PURPOSE.C42C17FB1C

Totally Enclosed Fan Cooled (TEFC)



Regal and Leeson are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E





### Nameplate Specifications

Output HP	0.17 Hp	Output KW	0.13 kW
Frequency	60 Hz	Voltage	115/208-230 V
Current	4.2/2.1 A	Speed	1725 rpm
Service Factor	1.15	Phase	1
Efficiency	50 %	Duty	Continuous
Insulation Class	B	Design Code	L
KVA Code	N	Frame	42
Enclosure	Totally Enclosed Fan Cooled	Overload Protector	No
Ambient Temperature	40 °C	Drive End Bearing Size	6203
Opp Drive End Bearing Size	6203	UL	Recognized
CSA	Y	CE	N
IP Code	43		


### Technical Specifications

Electrical Type	Capacitor Start Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Selective Counterclockwise
Mounting	Rigid base	Motor Orientation	HORIZONTAL
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Shaft Type	Single Special Extension
Overall Length	9.44 in	Frame Length	6.00 in
Shaft Diameter	0.375 in	Shaft Extension	1.12 in
Assembly/Box Mounting	F1 ONLY		
Outline Drawing	027616-N42	Connection Diagram	005312.01

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/15/2018




VIEW FROM OUTSIDE OF MOTOR AT SWITCH END.



ALL CONNECTIONS ON STATIONARY SWITCH ARE SOLDERED

GEARMOTORS  
2-STAGE REF. DECAL 004012  
3-STAGE REF. DECAL 081062



	ROTATION FACING LEAD END	L1	L2	JOIN
HIGH VOLT	C.C.W.	T1	T4 T5	T2, T3 T8
	C.W.	T1	T4 T8	T2, T3 T5
LOW VOLT	C.C.W.	T1, T3 T8	T2, T4 T5	---
	C.W.	T1, T3 T5	T2, T4 T8	---

06	ADDED GEARMOTOR NOTE	KMM	04/04/02	TOLERANCES UNLESS OTHERWISE SPECIFIED	
05	UPDATED TO CURRENT STANDARDS	MDN	2/16/00	DECIMALS	
04	ADDED PAGE 6	PG	4/5/94	.00	± .01
03	ADDED PAGE 4 AND 5	MJS	4/7/93	.000	± .005
02	CHANGED TO SOLDERED LEADS	KAZ	7/2/92	.0000	± .0005
01	ADDED PAGE 2 AND 3	DLL	8/23/90	FRACTIONS	± 1/64
NO.	REVISION	BY	DATE	ANGLES	± 1/2°
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED				INCH/MM	

**LEESON** ELECTRIC CORPORATION

DRAWN	GS 8/14/89	TITLE	EXT. WIRING DIAGRAM
CH'K'D.	DLL 8/22/89	TYPE "C" W/O PROTECTOR	
APPR.	DJW 8/22/89	MAT'L.	42 - FRAME
SCALE	1=1	DECAL - 004012	
REF.	005005-19	FINISH	STANDARD
FMF		SIZE	A
		DRAWING NO.	005312-01




**LEESON ELECTRIC CORPORATION**  
TYPICAL PERFORMANCE CURVE for AC MOTOR

Model No 092116.00

Catalog No 092116.00

Curve at 230 Volts      HP 0.17      PHASE 1  
60 HZ  
0.167 HP      VOLTS 115/208-230  
HZ 60      RPM 1725



<b>FL TORQUE</b>	<u>8</u> Oz.Ft	<b>FL AMPS</b>	<u>4.2/2.1</u>
<b>BD TORQUE</b>	<u>22.0</u> Oz.Ft	<b>PU TORQUE</b>	<u>21.4</u> Oz.Ft
<b>LR TORQUE</b>	<u>35.6</u> Oz.Ft	<b>LR AMPS</b>	<u>8.3</u>
<b>WINDING</b>	C47430-3	<b>Date</b>	4/19/2018