

# PRODUCT INFORMATION PACKET



Model No: C4D17WK14A

Catalog No: 109073.00

3/4HP.1750RPM.XS56C.TEFC.180V.CONT.40C.1.0SF.RIGID C.DC WASHGUARD ALL-  
STAINLESS.C4D17WK14A

NEMA



Regal and Leeson are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E





### Nameplate Specifications

Output HP	0.75 Hp	Output KW	0.56 kW
Voltage	180 V	Current	3.7 A
Speed	1750 rpm	Service Factor	1
Efficiency	84.2 %	Duty	Continuous
Insulation Class	F	Frame	XS56C
Enclosure	Totally Enclosed Fan Cooled	Overload Protector	No
Ambient Temperature	40 °C	Drive End Bearing Size	6205
Opp Drive End Bearing Size	6203	UL	Recognized
CSA	Y	CE	N


### Technical Specifications

Rotation	Reversible	Mounting	Rigid C base
Overall Length	15.37 in	Frame Length	8.75 in
Shaft Diameter	0.625 in	Shaft Extension	2.05 in
Outline Drawing	031741-XS56C	Connection Diagram	005487


This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/15/2018



```
ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--
STACK:
  /im
  -savelevel -
```



EXTERNAL CONNECTIONS FOR CCWLE ROTATION  
 VIEWING LEAD END OF MOTOR WITH RED LEAD  
 POSITIVE AND BLACK LEAD NEGATIVE.  
 FOR CW ROTATION, REVERSE POLARITY.

				TOLERANCES UNLESS SPECIFIED		 ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN PG 12/10/04
				DEC.	INCHES		CHK
				.X	±.1		APPD PG 12/10/04
				.XX	±.01		SCALE 5=8
				.XXX	±.005		REF
				.XXXX	±.0005	MAT'L.	FMF 109075.00
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH	PREV
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP		CAD FILE 005487	SIZE DRAWING NO.
				DIST			A 005487.01
							REV.