PRODUCT INFORMATION PACKET



Model No: 056B34D99011 Catalog No: 9034A 1.5HP 3450RPM 115/230V 56Fr 1Ph Open Drip Proof (ODP)



Regal and Marathon are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E





Nameplate Specifications

Output HP	1.50 Hp	Output KW	1.1 kW
Frequency	60 Hz	Voltage	115/230 V
Current	13.2/6.6 A	Speed	3450 rpm
Service Factor	1	Phase	1
Efficiency	81.5 %	Duty	Continuous
Insulation Class	В	Design Code	N
KVA Code	К	Frame	56
Enclosure	Drip Proof	Overload Protector	Manual
Ambient Temperature	40 °C	Drive End Bearing Size	6203
Opp Drive End Bearing Size	6203	UL	No
CSA	Υ	CE	Υ
IP Code	12		

Technical Specifications

Electrical Type	Capacitor Start Capacitor Run	Starting Method	Across The Line
Poles	2	Rotation	Selective Counterclockwise
Mounting	Rigid base	Motor Orientation	HORIZONTAL
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Shaft Type	NEMA 56
Overall Length	10.34 in	Shaft Diameter	0.625 in
Shaft Extension	1.94 in	Assembly/Box Mounting	F1 ONLY
Outline Drawing	056B34D99011	Connection Diagram	DD0000537-001

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/30/2018

