



MAXIMUM FACE RUNOUT TO BE .004 T.I.R.
 MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

DASH NO.	"C"	"AD"
800	13.37	6.47
850	13.87	6.97
900	14.37	7.47
950	14.87	7.97

ALL-STAINLESS
 VITON CONDUIT BOX & COVER GASKETS
 VITON O-RINGS IN ENDBELL RABBETS & UNDER THRU BOLT HEADS
 VITON SHAFT SEALS
 BREATHING PLUGS IN CONDUIT BOX & L.E. ENDBELL
 ALL STAINLESS STEEL CONSTRUCTION

ORACLE REV NO.	REVISION	BY & DATE	CHK	ANG
02				

		TOLERANCES UNLESS SPECIFIED		MARATHON ELECTRIC		DRAWN PVR 10/22/13	
		DEC.	INCHES			CHK JD 10/22/13	
		.X	±.1	TITLE		SCALE 1=2	
		.XX	±.03	OUTLINE - 140TC FRAME		REF 028842	
D	REVISED BASE PER ECO-0097012	ARV 2/15/16	SK .XXX	±.005	TEFC - RIGID "C"		APPD
C	BASE LOCATION DIM.2.88 CHANGED TO C-FACE	PVR 10/31/13	JD .XXXX	±.0005	MAT'L. STAINLESS STEEL DUCK		SCALE 1=2
					FINISH		REF 145TBWD5329
					CAD FILE 028842ME		PREV
					SIZE B	DRAWING NO. 028842ME	REV. D

THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT