



Notes: Downloaded from <http://dealerselectric.com>
Generated for Model #025180T3E284JM

| | | | | |
|------------------|--------|--------|--------|--------------|
| 2E | A | 2F | B | J |
| 11.000 | 13.780 | 9.500 | 11.574 | 3.150 |
| BA | D | K | G | O |
| 5.000 | 7.000 | 2.953 | 1.102 | 13.858 |
| P | T | AB | H | AA |
| 13.700 | 2.165 | 10.866 | 0.531 | NPT 1 1/2" |
| ER | EQ | ET | U | EM |
| 5.250 | 0.630 | 3.006 | 1.249 | 1.375 |
| EL | S | EP | R | d1 |
| 1.750 | 0.250 | 2.163 | 1.110 | EUNC 1/2"-13 |
| ES | t1 | t2 | C | CH |
| 2.480 | 0.984 | 1.496 | 24.261 | 2.323 |
| Flange FC-279 | AJ | AK | BD | BF |
| | 11.000 | 12.500 | 14.000 | UNC 5/8"x11 |
| BB | AH | | | |
| 0.250 | 5.250 | | | |

Performed by:

Checked:

Customer:

Close Coupled Pump : Three-Phase - "JM" Type - ODP - NEMA Premium

Three-phase induction motor
Frame 284JM - IP23

23-SEP-2016

