



Notes: Downloaded from <http://dealerselectric.com>  
 Generated for Model #06036ET3H364JM-W22

|   |                     |                   |                  |              |                    |
|---|---------------------|-------------------|------------------|--------------|--------------------|
| E | 2E<br>14.016        | J<br>3.150        | A<br>17.165      | P<br>17.914  | AB<br>16.016       |
|   | 2F<br>11.260/12.244 | K<br>4.138        | B<br>16.220      | BA<br>5.875  | D<br>9.000         |
|   | G<br>1.480          | O<br>17.716       | H<br>0.660       | AA<br>NPT 3" | EQ<br>0.630        |
|   | ET<br>3.006         | U<br>1.249        | EM<br>1.375      | EL<br>1.750  | EP<br>2.756        |
|   | ES<br>2.480         | t1<br>0.984       | t2<br>1.496      | C<br>33.832  | d1<br>EUNC 1/2"-13 |
| F | HH<br>11.988        | HK<br>6.024       | HB<br>4.251      | LL<br>10.591 | LM<br>11.267       |
|   | S<br>0.250          | R<br>1.110        | Flange<br>FC-279 | AJ<br>11.000 | AK<br>12.500       |
|   | BD<br>15.562        | BF<br>UNC 5/8"x11 | BB<br>0.248      | AH<br>5.250  |                    |

Performed by:

Checked:

Customer:

Close Coupled Pump: Three-Phase - W22 "JM" Type - TEFC - NEMA Premium

Three-phase induction motor  
 Frame 364/5JM - IP55

27-SEP-2016

