



Notes: Downloaded from <http://dealerselectric.com>
 Generated for Model #07536ET3G365JP-W22

| | | | | | |
|---|---------------------|-------------------|------------------|--------------|--------------------|
| E | 2E 14.016 | J 3.150 | A 17.165 | P 17.914 | AB 16.016 |
| | 2F 11.260/12.244 | K 4.138 | B 16.220 | BA 5.875 | D 9.000 |
| | G 1.480 | O 17.716 | H 0.660 | AA NPT 3" | EQ 2.382 |
| | ET 5.886 | U 1.624 | EM 1.750 | EL 2.125 | EP 2.756 |
| | ES 2.480 | t1 0.984 | t2 1.496 | C 36.711 | d1 EUNC 1/2"-13 |
| F | HH 11.988 | HK 6.024 | HB 4.251 | LL 10.591 | LM 11.267 |
| | S 0.375 | R 1.413 | Flange FC-279 | AJ 11.000 | AK 12.500 |
| | BD 15.562 | BF UNC 5/8"x11 | BB 0.248 | AH 8.130 | |

Performed by:

Checked:

Customer:

Close Coupled Pump: Three-Phase - W22 "JP" Type - TEFC - NEMA Premium

Three-phase induction motor
 Frame 364/5JP - IP55

27-SEP-2016

